

PRINTING INSTRUCTIONS

1. Always print a test sheet before printing a batch of sheets. Once you have adjusted all the settings and have a successful print, then print a batch using those settings.
2. Print only Pages 2-3. This instruction sheet is page 1, so you need to tell your printer to only print pages 2 and 3.
3. Print at the file's "Original Size", "100%", or "Actual Size". Do not scale down the artwork or "fit to page". Doing so will end up printing all the extra registration/printers marks around the border. These marks are used by printing companies, should you need to have this file printed professionally. But if you are printing these yourself from a standard printer, setting the print size to the original size (or 100%) will exclude the registration/printer marks around the border. Find the section of your printer options named "Reduce/Enlarge", "Zoom", "Page Size", "Scale", or other similar names.
4. Print without borders or print edge-to-edge if your printer has this option. This will maximize the art area on your sheets and minimize the white border around the edges. Sometimes this option is in a more detailed or advance section of your printer options. Not all printers have this option. If your printer does not have this option, and the white border is cutting off more than you would like, you may scale down the artwork size to approximately 97%. You will still have a white border, but less artwork will be cut off by the border.
5. Print "double-sided" or "2-sided" if your printer has this option, when printing 2-page sales sheets. Again, make sure only pages 2 and 3 are selected, or this instruction page will print with your art pages. The double-sided option may be in a more detailed or advance section of your printer options. If your printer does not have this option, you will have to print one side, load the printed page into the feeder, and print the second side. Start by doing one page at a time to make sure you get the orientation of the printed page in the feeder correct. Then, when you have a successful double-sided print, print the rest in batches.
6. Set the Print Quality to the best detail setting. Sometimes this level is also called "high resolution" or "Photo" quality. Much of the text on these pages is small. Printing at a higher quality level will help keep the text and images clear and legible. Sometimes this option is in a more detailed or advance section of your printer options.
7. Use premium paper stock or card stock to get the best image and colors. Using thin paper may cause the inks to bleed through to the other side. Print a test page to ensure the quality is acceptable.

Flavor Burst® FROZEN BEVERAGE

THE PRODUCT

MULTI-FLAVORED TREATS, FROM A SINGLE FREEZER BARREL

- Offer up to 8 different flavors with one unit.
- Select multiple flavors for new or favorite combinations such as caramel-apple, cherry-chocolate, or a rainbow twist! With 8-flavors, there are hundreds of possible combinations.
- Use with a variety of freezer models and frozen beverage bases to flavor shakes, slushes, smoothies, frozen coffees, and frozen cocktails.

ONE-STEP PROCESS

- Simply select as few or as many flavors as you like from the Color Touch Panel menu, and you are ready to draw the serving!
- Delicious flavors are blended throughout the base product as it dispenses, automatically changing from one flavor to the next with no additional steps.

FLAVOR BURST SYRUPS

- The syrups are specially formulated for Flavor Burst systems and are concentrated to give each serving that perfect burst of flavor.
 - Each syrup is packaged in easy-to-install 1-gallon bags with an 16-month shelf life.
 - No refrigeration is needed.
 - Each gallon bag yields up to 95 shake or 230 slush servings*. That's 760 shake or 1,840 slush servings* just from your first 8 flavors!
- (*based on 16-oz. serving size)



For pricing, availability, and ordering, please contact your local Taylor distributor. To find one near you, visit www.taylor-company.com

For other general questions or to learn about even more Flavor Burst flavoring systems, call 800-264-3528 or visit www.flavorburst.com.

© 2015 Flavor Burst Company. All Rights Reserved. Flavor Burst, Nice Ice, JavaLatte, Take A Shake Break, and CrunchiCreme are all registered trademarks of the Flavor Burst Company.



30 DELICIOUS FLAVORS

From classics like chocolate and strawberry, to bold flavors like blue raspberry, bubblegum, and butter pecan, Flavor Burst syrups provide variety to keep your menu selection fresh, colorful and exciting.





Flavor Burst® "CTP" FROZEN BEVERAGE MODELS

THE EQUIPMENT



COLOR TOUCH PANEL

- Full-color, high resolution, touch-sensitive 10" screen
- Upload videos, pictures, logos and graphics
- Customize flavor names, icons, container sizes, and product pricing
- Easy self-serve mode with portion control
- Dimensions: 10.25 x 6.75 x 1.25 in (261 x 172 x 32 mm)

BLENDING ASSEMBLY

- Delivers flavors directly to the spout opening
- Easy to install and remove for cleaning
- Fully detachable drive motor
- Adapter kits available for a variety of freezer models
- Direct sanitizer line that allows for easy cleaning between servings
- Size: 11.5 x 6 x 2 in (292 x 153 x 51 mm)

CABINET FEATURES

- Five models with different stainless steel cabinet styles
- Light-weight trays to hold the bags of syrup
- Easy to connect and disconnect syrup lines
- Sanitizer tank that provides clean-in-place sanitation for syrup lines



CTP 80BEV

- Standard 8-flavor tall and narrow cabinet
- Large 3-gallon external sanitizer tank



CTP 40BEV-JR

- 4-flavor mini cabinet
- 2-gallon external sanitizer tank
- Designed to fit in small cabinets and spaces
- Fits inside the Taylor C201 mobile cart (Taylor C201 cart sold separately)


Fits inside the C201



CTP 80BEV-INT

- Integrated 8-flavor cabinet designed to fit within the Taylor C201 mobile cart (Taylor C201 cart sold separately)
- 2-gallon internal sanitizer tank

Fits inside the C206 Carts



CTP 80BEV-INT-2S

- Integrated 8-flavor cabinet designed to fit within the Taylor C206 mobile carts* (*Taylor C206 carts sold separately)
- 2-gallon external sanitizer tank

CTP 80BEV-DLX

- Shorter, wider 8-flavor cabinet with sliding door front
- 2-gallon internal sanitizer tank
- External power supply mounted on the back panel
- Electronics Box size: 9.5 x 3.5 x 19 in (241 x 89 x 483 mm)



| MODEL | CABINET width x height x depth | SANITIZER TANK width x height x depth | BOXED DIMENSIONS width x height x depth total cubic | BOXED WEIGHT | CRATED WEIGHT | ELECTRICAL | MIN. CIRCUIT AMP DRAW |
|--|--|---|---|--------------------|--------------------|------------------------------|--------------------------|
| CTP 80BEV | 9.75 x 31.375 x 27.25 in 248 x 797 x 692 mm | 8.25 x 24 x 8.25 in 210 x 610 x 210 mm | 12 x 34.5 x 35 in 305 x 876 x 889 mm .10 cu. ft | 110 lbs 49.9 kg | 143 lbs 64.9 kg | 115v 50/60Hz 230v 50/60Hz | 1 1/2 |
| CTP 80BEV-DLX | 17 x 22.75 x 28.125 in 432 x 578 x 714 mm | N/A inside cabinet | 26.5 x 29.25 x 18.75 in 674 x 743 x 477 mm .24 cu. ft | 133 lbs 60.3 kg | 166 lbs 75.3 kg | 115v 50/60Hz 230v 50/60Hz | 1 1/2 |
| CTP 80BEV-INT (Taylor cart not included) | 14.375 x 18.25 x 27.5 in 365 x 464 x 699 mm | N/A inside cabinet | 26.5 x 29.25 x 18.75 in 674 x 743 x 477 mm .24 cu. ft | 100 lbs 43.4 kg | 133 lbs 60.3 kg | 115v 50/60Hz 230v 50/60Hz | 1 1/2 |
| CTP 80BEV-INT-2S (Taylor cart not included) | 19.5 x 13.25 x 24.5 in 496 x 337 x 623 mm | 6 x 7.5 x 19 in 152 x 191 x 483 mm | 21.5 x 21.25 x 26.75 in 546 x 540 x 680 mm .20 cu. ft | 89 lbs 40.4 kg | 122 lbs 55.3 kg | 115v 50/60Hz 230v 50/60Hz | 1 1/2 |
| CTP 40BEV-JR (Taylor cart not included) | 11.75 x 17.5 x 26.875 in 299 x 445 x 683 mm | 6 x 7.5 x 19 in 152 x 191 x 483 mm | 12 x 34.5 x 35 in 305 x 876 x 889 mm .10 cu. ft | 85 lbs 38.6 kg | 118 lbs 53.6 kg | 115v 50/60Hz 230v 50/60Hz | 1 1/2 |

