

PRINTING INSTRUCTIONS

1. Always print a test sheet before printing a batch of sheets. Once you have adjusted all the settings and have a successful print, then print a batch using those settings.
2. Print only Pages 2-3. This instruction sheet is page 1, so you need to tell your printer to only print pages 2 and 3.
3. Print at the file's "Original Size", "100%", or "Actual Size". Do not scale down the artwork or "fit to page". Doing so will end up printing all the extra registration/printers marks around the border. These marks are used by printing companies, should you need to have this file printed professionally. But if you are printing these yourself from a standard printer, setting the print size to the original size (or 100%) will exclude the registration/printer marks around the border. Find the section of your printer options named "Reduce/Enlarge", "Zoom", "Page Size", "Scale", or other similar names.
4. Print without borders or print edge-to-edge if your printer has this option. This will maximize the art area on your sheets and minimize the white border around the edges. Sometimes this option is in a more detailed or advance section of your printer options. Not all printers have this option. If your printer does not have this option, and the white border is cutting off more than you would like, you may scale down the artwork size to approximately 97%. You will still have a white border, but less artwork will be cut off by the border.
5. Print "double-sided" or "2-sided" if your printer has this option, when printing 2-page sales sheets. Again, make sure only pages 2 and 3 are selected, or this instruction page will print with your art pages. The double-sided option may be in a more detailed or advance section of your printer options. If your printer does not have this option, you will have to print one side, load the printed page into the feeder, and print the second side. Start by doing one page at a time to make sure you get the orientation of the printed page in the feeder correct. Then, when you have a successful double-sided print, print the rest in batches.
6. Set the Print Quality to the best detail setting. Sometimes this level is also called "high resolution" or "Photo" quality. Much of the text on these pages is small. Printing at a higher quality level will help keep the text and images clear and legible. Sometimes this option is in a more detailed or advance section of your printer options.
7. Use premium paper stock or card stock to get the best image and colors. Using thin paper may cause the inks to bleed through to the other side. Print a test page to ensure the quality is acceptable.



Flavor Burst® DUAL SERIES

THE PRODUCT

1 FLAVORING SYSTEM, 2 FREEZER BARRELS

- The Dual Series systems each include two flavoring assemblies to attach to two different spouts, while saving space. One Touchscreen operates both spouts and one cabinet holds all eight flavors.
- The soft-serve dual systems deliver four soft serve flavors to one soft-serve spout, and four to another soft serve spout. Flavor ice cream and frozen yogurt with one system. Or, serve striped flavored soft-serve from one freezer, and blended flavored product from another.
- The frozen beverage systems send four beverage flavors to one frozen beverage or FCB spout, and four to another beverage or spout. Flavor shakes and slushes, frozen coffee and cocktails, frozen carbonated beverages and smoothies from one system!
- The combination dual systems deliver four soft serve flavors to a soft-serve spout, and four to a frozen beverage spout. Serve shakes and ice cream together, or FCB and Flavor Blend, or many other combinations of products from the same cabinet system.
- The 44 Dual Series systems work with a single multi-barrelled freezer or two separate freezers next to each other.

LAYER MULTIPLE FLAVORS

- Offer up to 8 different flavors with one unit, 4 flavors to each barrel.
- Select multiple flavors for new or favorite combinations such as chocolate mint, berry-mix, or a rainbow swirl!
- Compatible with a variety of base mixes and freezer models.

ONE-STEP PROCESS

- Simply select as few or as many flavors as you like from the Touch Panel menu, and you are ready to draw the serving!
- Delicious flavors are blended throughout the base product as it dispenses, automatically changing from one flavor to the next with no additional steps.

FLAVOR BURST SYRUPS

- No refrigeration is needed for syrups.
- Each syrup comes in easy-to-install 1-gallon bags with an 16-month shelf life.
- The syrups are specially formulated for Flavor Burst systems and concentrated to give each serving that perfect burst of flavor.
- Each gallon bag of soft-serve syrup yields 400-560 5-oz servings. Each gallon bag of frozen beverage syrup yields up to 95 shake or 230 slush 16-oz servings. That's 760 - 4,480 servings from your first 8 flavors!
- At least 30 delicious flavors to choose from. With classics such as chocolate, strawberry, and blue raspberry, to bold flavors like green apple, mango, and watermelon, Flavor Burst syrups provide variety to keep your menu selection fresh, colorful and exciting.



For pricing, availability, and ordering, please contact your local Taylor distributor. To find one near you, visit www.taylor-company.com

For other general questions or to learn about even more Flavor Burst flavoring systems, call 800-264-3528 or visit www.flavorburst.com.

© 2015 Flavor Burst Company. All Rights Reserved. Flavor Burst, Nice Ice, JavaLatte, Take A Shake Break, and CrunchiCreme are all registered trademarks of the Flavor Burst Company.





Flavor Burst® DUAL SERIES

THE EQUIPMENT



FCB SPOUT ASSEMBLY



INJECTOR / BLENDING ASSEMBLY

FEATURES

- Light-weight trays hold 8 gallon bags of syrup, four syrups for each freezer spout.
- Two syrup-dispensing assemblies attach directly to each freezer spout.
- Large 3-gallon external sanitizer tank provides clean-in-place sanitation of the syrup lines, connectors and pumps.
- Adapter kits are available for a variety of freezer models.



COLOR TOUCH PANEL

- 10" high resolution color touch-sensitive screen.
- One Color Touch Panel controls both spouts.
- Upload videos, pictures, logos and graphics.
- Customize flavor names, container sizes, and product pricing.
- Easy self-serve mode with portion control and language options.

SOFT-SERVE DUAL SYSTEMS

- Systems contain 8 soft-serve pumps and syrup bag connectors.
- **CTP 44SS** model includes two standard Flavor Burst Injector Assemblies, to stripe soft-serve product with syrup from two different freezer barrels.
- **CTP 44BLD** model includes two Flavor Blend Blending Assemblies, to offer soft-serve product that is fully blended with flavors from two different freezer barrels.
- **CTP 44SS/BLD** model includes one Injector Assembly for striped product on one barrel, and one Blending Assembly for Flavor Blend product on another barrel.

FROZEN BEVERAGE DUAL SYSTEMS

- Systems contain 8 frozen beverage pumps and syrup bag connectors.
- **CTP 44BEV** model includes two Blending Assemblies to flavor frozen beverage product from two freezer barrels.
- **CTP 44FCB** model includes two modified spout assemblies to flavor frozen carbonated beverage product from two freezer barrels.*
*(*available on Taylor freezers only)*
- **CTP 44BEV/FCB** model includes one Blending Assembly for flavoring frozen beverage product on one barrel, and one FCB spout assembly for frozen carbonated beverages on another barrel.

COMBINATION DUAL SYSTEMS

- Systems contain 4 soft-serve pumps and syrup bag connectors, and 4 frozen beverage pumps and syrup bag connectors.
- **CTP 44SS/BEV** model includes one flavor-stripping Injector Assembly for soft-serve product on one barrel, and one Blending Assembly for frozen beverages on another barrel.
- **CTP 44SS/FCB** model includes one Injector Assembly for striping soft-serve product on one barrel, and one FCB spout assembly for frozen carbonated beverages on another barrel.
- **CTP 44BEV/BLD** model includes one Blending Assembly for frozen beverages on another barrel, and one Flavor Blend Blending Assembly for soft-serve product on another freezer barrel.
- **CTP 44BLD/FCB** model includes one Flavor Blend Blending Assembly for soft-serve product on one barrel, and one FCB spout assembly for frozen carbonated beverages on another barrel.



CABINET <i>width x height x depth</i>	3-GALLON SANITIZER TANK <i>width x height x depth</i>	INJECTOR / BLENDING ASSEMBLY <i>width x height x depth</i>	COLOR TOUCH PANEL <i>width x height x depth</i>	BOXED DIMENSIONS <i>width x height x depth</i>	BOXED DIMENSIONS <i>total cubic</i>	BOXED WEIGHT	CRATED WEIGHT	ELECTRICAL	MINIMUM CIRCUIT AMP DRAW
9.75 x 31.375 x 27.25 in 248 x 797 x 692 mm	8.25 x 24 x 8.25 in 210 x 610 x 210 mm	7 x 8 x 2.5 in 178 x 203 x 64 mm	10.25 x 6.75 x 1.25 in 261 x 172 x 32 mm	12 x 34.5 x 35 in 305 x 876 x 889 mm	3.39 cu. ft .10 cu. m	115 lbs 52.2 kg	148 lbs 67.2 kg	115v 50/60Hz 230v 50/60Hz	1 1/2

